

## Tillbehör för OPL9815

**CRD9723RU5** is a multi-cradle for the OPL9700 series and equipped with 5 slots for charging and communication. This device can upload the scanned data and provide external data communication to the host through RS232 or USB. It is possible to daisy chain up to 50 5-slots cradles to a single host computer to form a network.

The CRD9723RU5 is equipped with an IrDA interface allowing scanner-to-cradle communication as soon as the data collector is inserted in the cradle.



USB cable and a RS232 cable are default enclosed.  
 Power supply (100-240V/0.5A, 50/60 Hz, 6V/2A) is sold separately.

### Communication

RS232 Baudrate 2400 bps - 115.2 kbps, half duplex RS232, DB9 F connector  
 RS485 Half duplex RS485, Mod 4P4 - Mod 4P4 connector  
 USB Ver. 1.1, client, VCP, USB-A connector

Power  
 Voltage requirement 6V  
 Battery charging time Automatically determined

Physical  
 Dimensions (w x h x d) 310 x 71 x 95 mm / 12.20 x 2.80 x 3.74 in  
 Weight body Ca. 350 g / 12.3 oz  
 Case ABS, Blue  
 Regulatory & Safety  
 Product compliance CE, FCC, VCCI, RoHS

**CRD9723RU** is a single charging cradle for the OPL9700 series and the PX35. Apart from charging the data collector, this device can upload the scanned data and provide external data communication to a computer or database by the RS232 or USB interface.

The CRD9723RU is equipped with an IrDA interface allowing scanner-to-cradle communication as soon as the data collector is inserted in the cradle.



RS232 cable is default enclosed. A USB cable and a power supply (100-240V/0.25A, 50/60 Hz, 5.7V/0.55A) are sold separately.

**Communication:**

RS232 Baudrate 2400 bps - 115.2 kbps, half duplex RS232, DB9 F connector

USB Ver. 1.1, client, VCP, USB-A connector

**Power**

Voltage requirement 6V

Battery charging time Automatically determined

**Physical**

Dimensions (w x h x d) 67.5 x 71.5 x 98.5 mm / 2.66 x 2.81 x 3.88 in

Weight body Ca. 80 g / 2.8 oz

Case ABS, Navy

**Regulatory & Safety**

Product compliance CE, FCC, VCCI, RoHS

**OPL9700 Nylon case with swivel clip & window**



**OPL9700 Nylon case with swivel clip**



OPL9700 Nylon case with fixed clip



OPL9815 Rechargeable battery



Power

Rechargeable battery

Lithium-Ion 3.7V 1000mAh